

CRAYON
Series

AQUA

PINK

BLUE


JAISALMER

GREEN

GREY

COBAT BLUE

AQUA







Size : 600 X 1200 MM

Surface : Crayon(Glossy / Matt)

Random : 1

BLACK




Size : 600 X 1200 MM

Surface : Crayon(Glossy / Matt)

Random : 1

BLUE




Size : 600 X 1200 MM

Surface : Crayon(Glossy / Matt)

Random : 1

COBAT BLUE




Size : 600 X 1200 MM

Surface : Crayon(Glossy / Matt)

Random : 1

GREEN




Size : 600 X 1200 MM

Surface : Crayon(Glossy / Matt)

Random : 1

GREY




Size : 600 X 1200 MM

Surface : Crayon(Glossy / Matt)

Random : 1

IVORY




Size : 600 X 1200 MM

Surface : Crayon(Glossy / Matt)

Random : 1

JAISALMER




Size : 600 X 1200 MM

Surface : Crayon(Glossy / Matt)

Random : 1

PINK




Size : 600 X 1200 MM

Surface : Crayon(Glossy / Matt)

Random : 1

WHITE



Size : 600 X 1200 MM

Surface : Crayon(Glossy / Matt)

Random : 1

TECHNICAL SPECIFICATION

CHARACTERISTIC	TEST METHOD	INTERNATIONAL STD ISO 15006/EN 176 GROUP B1a	VALUE
DIMENSION & SURFACE QUALITY			
Deviation in length	ISO-10545-2	± 0.6%	± 0.2%
Deviation in Thickness	ISO-10545-2	± 5%	± 3%
Straight of Sides	ISO-10545-2	± 0.5%	± 0.2%
Rectangularity	ISO-10545-2	± 0.5%	± 0.2%
Surface Flatness	ISO-10545-2	± 0.5%	± 0.2%
PHYSICAL & THERMAL PROPERTIES			
Water Absorption	ISO-10545-3	< 0.50%	< 0.04%
Mohs Hardness	EN-101	Min.5	Min.5
Flexural Strength	ISO-10545-4	> 35N/mm ²	⁸ > 40N/mm ²
Skid Resistance (Friction Coefficient)	ISO-10545-17	> 0.4	> 0.4
Breaking Strength	ISO-10545-11	> 1113N	> 1 00N
Frost Resistance	ISO-10545-12	Frost Proof	Frost Proof
Thermal Shock Resistance	ISO-10545-9	No Damage	No Damage
Noisture Expansion	ISO-10545-10	NIL	NIL
Resistance to Surface Abrasion	ISO-10545-7	Abrasion class shall be specified by the manufacturer	PIE IV
CHEMICAL PROPERTIES			
Chemical Resistance	ISO-10545-13	No Damage	No Damage
Color Resistance	ISO-10545-16	No Damage	⁸ No Damage
Stain Resistance	ISO-10545-14	Resistant	Resistant

PACKING DETAILS

Dimension (MM)	BOX			
	PIECES	Sq. Mtr.	Sq. Feet	Weight (Apx.)
600X1200MM	2	1.44	15.50	27.5 Kgs.

